



Quote Request Form
Solar Innovations, Inc.
Garden Windows

Please fax to 570-915-6083 or 800-618-0669

Form Completed By: _____

Company _____ Contact _____ Address _____ City _____ State _____ Zip _____ Requested Ship Date _____ Projected Purchase Date <input type="checkbox"/> 1-3 Months <input type="checkbox"/> 4-6 Months Approximate Budget _____ Job Name _____ Job Site Contact _____ Job Site Address _____ City _____ State _____ Zip _____	Date Submitted _____ Date Due _____ Time Due _____ Phone _____ Fax _____ Email _____ Stories Above Ground _____ <input type="checkbox"/> 7-9 Months <input type="checkbox"/> 10-12 Months Installation by <input type="checkbox"/> Solar Innovations, Inc. <input type="checkbox"/> Other <input type="checkbox"/> Union <input type="checkbox"/> Non Union <input type="checkbox"/> Prevailing Wage <input type="checkbox"/> Non Prevailing Wage
---	--

Application (Check all that apply.) <input type="checkbox"/> Commercial <input type="checkbox"/> Residential <input type="checkbox"/> New Construction <input type="checkbox"/> Replacement	Glazing <input type="checkbox"/> Solar Innovations, Inc. <input type="checkbox"/> Other
--	--

Attaching to: Steel Masonry Wood, LVL Other: _____

Unit Size/Design Requirements


Length _____
 Width/Projection _____
 Ridge Height _____
 Eave Height _____
 Roof Pitch _____

Left Gable Yes No Partial: _____
 Right Gable Yes No Partial: _____

Configuration Curved Eave Straight Eave

Structural Base Panel by Solar Innovations by Other Existing New Construction

Basewall Yes No Height: _____ Thickness: _____



* Additional costs may apply.

Are you seeking LEED certification on this project?

YES

NO

Plant Selection

What type of plants will you grow in your garden window? _____

How many plants do you hope to grow in your garden window? _____

Frame Finish Options

Frame Color (Select finish for both Interior and Exterior finish.)

Interior

Exterior

- | | | |
|--------------------------|--------------------------|-------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | Mill (Unfinished) |
| <input type="checkbox"/> | <input type="checkbox"/> | White |
| <input type="checkbox"/> | <input type="checkbox"/> | Sandstone |
| <input type="checkbox"/> | <input type="checkbox"/> | Natural Clay |
| <input type="checkbox"/> | <input type="checkbox"/> | Hartford Green |
| <input type="checkbox"/> | <input type="checkbox"/> | Bronze |
| <input type="checkbox"/> | <input type="checkbox"/> | Black |
| <input type="checkbox"/> | <input type="checkbox"/> | *Class I Clear Anodized |
| <input type="checkbox"/> | <input type="checkbox"/> | *Dark Bronze Anodized |
| <input type="checkbox"/> | <input type="checkbox"/> | *Custom Color |

Metal Cladding Options

- Copper
- Stainless Steel
- Bronze
- Simulated Lead Coated Copper
- Rheinzink

Frame Finish Types

- 2604 - 50% Fluoropolymer
- 2605 - 70% Fluoropolymer
- 2603 - Baked Enamel Finish

Roof/Wall Glazing

Glass Options

Roof Wall

- | | | |
|--------------------------|--------------------------|---|
| <input type="checkbox"/> | <input type="checkbox"/> | Clear Monolithic (Single Pane) |
| <input type="checkbox"/> | <input type="checkbox"/> | Active (Easy Clean - Surface 1) |
| <input type="checkbox"/> | <input type="checkbox"/> | 366 Low-E (Not for Plants - Surface 2) |
| <input type="checkbox"/> | <input type="checkbox"/> | 240 Low-E (Light Blue Tint - Surface 2) |
| <input type="checkbox"/> | <input type="checkbox"/> | 272 Low-E (Universal - Surface 2) |
| <input type="checkbox"/> | <input type="checkbox"/> | Insulated Impact Glazing |
| <input type="checkbox"/> | <input type="checkbox"/> | Monolithic Impact Glazing |
| <input type="checkbox"/> | <input type="checkbox"/> | I-81 (Improves Thermal Value - Surface 4) |
| <input type="checkbox"/> | <input type="checkbox"/> | Clear Insulated (Double Pane) |
| <input type="checkbox"/> | <input type="checkbox"/> | Other: _____ |

Polycarbonate Options

Roof Wall

- | | | |
|--------------------------|--------------------------|----------------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | 8mm (Equivalent to Single Pane) |
| <input type="checkbox"/> | <input type="checkbox"/> | 25mm (Equivalent to Double Pane) |
| <input type="checkbox"/> | <input type="checkbox"/> | 1/4" Lexan |

***Glass Tints/Reflective Coatings

- Gray
- Bronze
- Other: _____

Polycarbonate Tints

- | | |
|--------------------------------|---------------------------------|
| <input type="checkbox"/> Clear | <input type="checkbox"/> Bronze |
| <input type="checkbox"/> Opal | <input type="checkbox"/> Green |
| <input type="checkbox"/> Blue | |

**** Tints may extend lead time

* Additional costs may apply.

Curve Glazing

Standard Bay Widths (on Center): 14.75° - 30.5°, 38°, 46.5°

Standard Bay Widths (on Center): 30° - 30.5° on center

Glass Options

- Bronze 272
- 272 Low-E
- Clear Monolithic Glazing
- Bronze Monolithic Glazing
- Other: _____

Polycarbonate Options

- 8mm (Equivalent to Single Pane)
- 1/4" Lexan

Polycarbonate Tints

- Clear
- Bronze
- Opal
- Green
- Blue

General Accessories

- Heater (LP/Natural Gas)
- Heater (Electric)
- Glass Shelves
- Standard Downspout
- Standard Gutter
- Metal Shelves
- Interior Shades (Manual)
- Interior Shades (Motorized)
- Wood Shelves

Windows

- Casement Awning Hopper Sliding
- Size: _____ Quantity: _____
- Size: _____ Quantity: _____
- Size: _____ Quantity: _____

Ridge Vents

Number of Daylight Bays (Maximum Length 19'): _____ Quantity of Vents: _____

Motorized Manual

Decorative Accessories

- Exterior Molding SDLs Interior Capping Interior Muntin
- Corner Post Etched Glass Leaded Glass Transom
- Aluminum Panels Transom Grids Decorative Gutter Ridge Cresting
- Finials Decorative Corner Decorative Appliques Other: _____

- Example Photo or Sketch Included Specification Enclosed Architectural Plans Enclosed

Additional Comments _____

* Additional costs may apply.